




+86-15501571292

info@ahpbaba.com - www.ahpbaba.com
B2-1910,Zhengkai Wanda Plaza, Wuhan, China



SHOWER ROOM

SHOWER ENCLOSURES | BATH SCREENS | TRAYS



P 17
56 KITTY SERIES



P 23
93 SWISS SERIES



P 25
92 SYDNEY SERIES



P 29
17 LOUIS SERIES



P 35
97 BETHANY SERIES



P 45
85 SELINA SERIES



P 65
94 TERRENCE SERIES



P 81
76 LILY SERIES



P 85
18 QUEENIE SERIES



P 97
97 FRANCE SERIES



P 103
99 ANGELA SERIES



P 111
78 LUCAS SERIES



P 119
73 ZOEEY SERIES



P 125
84 GREEN SERIES



P 129
86 KENNETH SERIES



P 131
39 OLIVER SERIES



P 135
68 BENJAMIN SERIES



P 139
99 AKRIS SERIES



P 145
CORAIN SHOWER TRAY

CONTENTS



without easy clean

with easy clean

EASY TO CLEAN



THE 3RD GENERATION OF EASY CLEAN TECHNOLOGY

NME uses the glass with easy clean feature. The Solvent applied is a German Brand- ECOFRIEND-ING4, which is Environmental-friendly and have passed European Environment safety standard and American safety standard.

THE ADVANTAGES OF EASY CLEAN GLASS ARE:

1. Optimizing the glass surface
2. Easy to clean
3. Prevention of bacterium and protection from ultra violet
4. Durable against temperature change and scratches
5. Fluorine and other toxic substance free
6. High transparency up to 95.75-95.2%

This feature will be applied upon client's request.

Function:

Protection film are designed to prevent explosion of glass, it will greatly reduce the injury or damage that might happen. The film holds all the glass together and could even be used for continuing shower temporarily.

Structure:

glass consists of five layers protection film as follows:

Durable Outer Surface Layer

The material of this layer is a transparent acrylic acid, which is very firm and tensile. It is durable against cleaning and can protect the glass from scratches.

Basic Safety Layer

The material of this layer is polyurethane, which is transparent and impact resistant

Pressure Sensitive Adhesive Layer


This layer is the key one to protect the users against a shattering shower enclosure. The advantage of protection film is that it is clear and will not change the color of glass.

Easy to process layer

This layer exists for the convenience of processing and applying.

Transparent layer


This layer has the chemical elements to combine all the layers together, making sure that everything seals and blends together.



Tempered glass with protection film



Tempered glass without protection film




ALUMINUM MATERIAL

For shower room, aluminum profile is mainly to support glass and provide sliding rail for pulleys etc, and it can act as decoration after oxidation and coloring treatment.

Aluminum profile of **NME** shower room use Australia-made aluminum as raw material, and purified with Ti, Cr, Mg, Si, Cu and other elements, its purity can reach up to 95% or above, with brightness across section, strong metal structure and free of impurities, meanwhile, with a special ingredient formula, THE hardness of **NME** aluminum profile reaches to 13-14 degree with moderate toughening, the thickness of aluminum profile is 1.0-2.0mm, some areas even reach to 4.0-6.0mm; after polishing, acid-washing, oxidation and surface enclosing process treatment, average thickness of oxidation film reaches to 7u-8u with bright appearance and free of color difference. It's acid-based corrosion resistance performance is very strong, after 24 hours acidic salt spray test, its corrosion resistance performance reaches to level 9 or above. And it has passed 6463 standard and achieved world-leading level.


NME shower room aluminum profile machining process:

High quality raw material sourcing-Extrusion molding-- Polishing wax removal-Grounding- Acid cleaning-Oxidation coloring-Surface enclosing





KX5656212



KX5656212-1



- **Frame finish**
Chrome White Satin or Drawbench
- **Glass**
10mm, 12mm safety glass are available
Easy clean glass is available
- **Features**
Well profile with 30mm adjustment
Lubricated fittings contribute a successful combination of function and appearance, and minimise leakage
Detachable moving door can be cleaned easily
Compatible side panels are optional
Smooth and silent rollers, with rust resistance and corrosion resistance



KX5556312

MODEL	L	W	OPENING SIZE
KX5556312	48"	32"	19"
KX5556312	60"	36"	25"



KX5693312



- **Frame Finish**
Chrome/Satin nickel/Brush
- **Glass**
10mm safety glass. Easy clean glass available
- **Features**
304SS wall profile with 25mm adjustment. 304 SS handle/support bar and big wheels. Round and square support bar, handle are optional.

MODEL	L	W	OPENING SIZE
KX5693312	48"	32"	19"
KX5693312	60"	36"	25"



KX5592312



- **Frame Finish**
Chrome, Satin nickel, Brush
- **Glass**
10mm safety glass, Easy clean glass available
- **Features**
304SS wall profile with 20mm adjustment, 304 SS handle, support bar and big wheels.
Round and square support bar, handle are optional.

MODEL	L	W	OPENING SIZE
KX5692212	48"	32"	19"
KX5692212	60"	36"	25"



KX5592422

92 SYDNEY SERIES
Outward Series Pin Wheel Doors



- **Finish: 50201**
Chrome/Satin nickel/Brush
- **Glass**
10mm safety glass. Easy clean glass available
- **Features**
304SS wall profile with 26mm adjustment, 304 SS handle, support bar and big wheels.
Round and square support bar/handle are optional.

MODEL	L	W	OPENING SIZE
KX5592422	48"	32"	19"
KX5592422	60"	36"	25"



- **Frame Finish**
Chrome, Satin, Brush
- **Glass**
8mm safety glass, 304 stainless steel profile with 25mm adjustment, easy clean glass available
- **Features**
Stainless steel handle and rollers

MODEL	L	W	OPENING SIZE
KX5617212	972-990	772-790	390
KX5617212	1172-1190	772-790	490
KX5617212	1172-1190	872-890	490
KX5617212	1372-1390	772-790	590
KX5617212	1372-1390	872-890	590

17 LOUIS SERIES
Outward Series Sliding Doors



- **Frame Finish**
Chrome, Satin, Brush
- **Glass**
8mm safety glass, 304 stainless steel profile with 25mm adjustment, easy clean glass available
- **Features**
Stainless steel handle and rollers

MODEL	L	W	OPENING SIZE
KX5517312	972-990	772-790	390
KX5517312	1172-1190	772-790	490
KX5517312	1172-1190	872-890	490
KX5517312	1372-1390	772-790	590
KX5517312	1372-1390	872-890	590



- Frame: Fixed
Chrome, Satin, Brush
- Glass
8mm safety glass 304 stainless steel profile with 25mm adjustment, easy clean glass available
- Hardware
Stainless steel handle and rollers

MODEL	L	W	OPENING SIZE
KX5617422	972-990	772-790	390
KX5617422	1172-1190	772-790	490
KX5617422	1172-1190	872-890	490
KX5617422	1372-1390	772-790	590
KX5617422	1372-1390	872-890	590



Such a pure color base, such a transparent and crystal-clear colored glass layer covers up the rigidity of lines in shaping, casually making a show of vitality, dignified and elegant, or brisk and natural, or gentle bright and beautiful.

17 LOUIS SERIES

Outward Series-Sliding Doors



- **Frame Finish**
Chrome, Satin, Brush
- **Glass**
5mm safety glass/304stainless steel profile with 25mm adjustment, easy clean glass available
- **Features**
Stainless steel handle and rollers

MODEL	L	W	OPENING SIZE
KX5217422	772-790	772-790	470
KX5217422	872-890	872-890	540
KX5217422	972-990	972-990	540
KX5217422	1072-1090	1072-1090	540



● **Frame Finish**
Chrome White Satin or Drawbench

● **Glass**
Tint safety glass are available
Easy clean glass is available

● **Features**
Wall profile with 20mm adjustment
Large open door area
Concealed fittings contribute a successful combination of function and appearance. Magnetic strips with assistant alignment and perfect closing performance minimize leakage
The unique fitting matches up with the U shape groove on top of the glass perfectly, which makes sure that the glass will not fall off
The pivot adopts the 180° inward and outward open design, better for you to enjoy the bath
With raising leaving design so could eliminate the noise to the utmost
Using high quality metal material, with the characteristics of rust resistance and corrosion resistance
Compatible side panels are optional
Reversible Installation



MODEL	L	W	OPENING SIZE
KX5597210	730-760	760	650
KX5597210	770-800	800	690
KX5597210	870-900	900	790
KX5597210	970-1000	1000	890



KX5697110

97 BETHANY SERIES
Outward Series/Single Pivot Doors



KX5697110




- **Frame Finish:**
Chrome White Satin or Drawbends
- **Glass:**
5mm safety glass are available
Easy clean glass is available
- **Features:**
Wall profile with 20mm adjustment
Large open door size
Concealed fittings contribute a successful combination of function and appearance. Magnetic strips with consistent alignment and perfect closing performance minimize leakage. The unique fitting matches up with the L-shape groove on top of the glass perfectly, which makes sure that the glass will not fall off.
The pivot adopts the 180° inward and outward open design, better for you to enjoy the bath.
With raising bearing design so could eliminate the noise to the utmost.
Using high quality metal material, with the characteristics of rust resistance and corrosion resistance.
Compatible side panels are optional.
Reversible installation.

MODEL	L	W	OPENING SIZE
KX5697110	730-760	760	660
KX5697110	770-800	800	690
KX5697110	870-900	900	790
KX5697110	970-1000	1000	890



Corrosion, elegant, delicate and pretty color and luster, bring forth a life experience of fashion with graceful art style.



KX5597220

MODEL	L	W	OPENING SIZE
KX5597220	725-745	725-745	915
KX5597220	765-785	725-745	970
KX5597220	865-885	725-745	1110
KX5597220	965-985	725-745	1250

- Frame finish
Chrome White Satin or Drawbench

- Glass
6mm safety glass are available
Easy clean glass is available

- Features
With profile with 20mm adjustment
Large open door area
Concealed fittings contribute a successful combination of function and appearance. Magnetic strip with consistent alignment and perfect closing performance minimize leakage.
The unique fitting matches up with the U shape groove on top of the glass perfectly which makes sure that the glass will not fall off.
The glass adopts the 180° inward and outward open design. Just for you to enjoy the bath.
With raising closing design, so could minimize the noise to the utmost.
Using high quality metal material with the characteristics of rust resistance and corrosion resistance.
Reversible installation.



MODEL	L	W	OPENING SIZE
KX5297230	725-745	725-745	915
KX5297230	765-785	725-745	970
KX5297230	865-885	725-745	1110
KX5297220	965-985	725-745	1250

• Frame Finish

Chrome White Satin or Drawbridge

• Glass

Tempered safety glass is available.
Easy clean glass is available.

• Features

Wall profile with 20mm adjustment.

Large open door swing.

Consistent fittings contribute a successful combination of function and appearance.
Magnetic strips with consistent alignment and perfect closing performance minimize leakage.

The unique fitting matches up with the U shape groove on top of the glass perfectly, which makes sure that the glass will not fall off.
The pivot adopts the 180° inward and outward open design, better for you to enjoy the bath.

With raising lining design, so could witness the noise to the utmost.
Using high quality metal material, with the characteristics of rust resistance and corrosion resistance.

Reversible installation.



MODEL	L	W	OPENING SIZE
KX5597420	765-785	765-785	590
KX5597420	865-885	865-885	665
KX5597420	965-985	965-985	730
KX5597420	765-785	765-785	665
KX5597420	765-785	765-785	745

• Frame Finish

Chrome White Satin or Drawbridge

• Glass

Tempered safety glass is available.
Easy clean glass is available.

• Features

Wall profile with 20mm adjustment.

Large open door swing.

Consistent fittings contribute a successful combination of function and appearance.
Magnetic strips with consistent alignment and perfect closing performance minimize leakage.

The unique fitting matches up with the U shape groove on top of the glass perfectly, which makes sure that the glass will not fall off.
The pivot adopts the 180° inward and outward open design, better for you to enjoy the bath.

With raising lining design, so could witness the noise to the utmost.
Using high quality metal material, with the characteristics of rust resistance and corrosion resistance.

Reversible installation.



A moment of romance, a moment of elegance, silently tells story of the years murmuring in an atmosphere of gentleness.



KX5285422

MODEL	L	W	OPENING SIZE
KX5285422	767-790	767-790	470
KX5285422	867-890	867-890	540
KX5285422	967-990	967-990	540
KX5285422	867-890	725-750	440
KX5285422	767-790	767-790	470
KX5285422	765-785	767-790	470

- **Frame finish**
 Chrome, painting white, Satin or Drawlouch
- **Glass**
 6mm 8mm safety glass are available
- **Door type**
 Matte handles
 Soft close door with magnetic seals
 Quick release, easy clean door system
 Wall profile with 23mm adjustment
 Plinth available for bay



MODEL	L	W	OPENING SIZE
KX5685312	954-1000	800	400
KX5685312	1054-1100	800	450
KX5685312	1154-1200	800	490
KX5685312	1354-1400	800	570

MODEL	L	W	OPENING SIZE
KX5685212	1150-1200	800	490
KX5685212	1350-1400	800	570
KX5685212	1450-1500	800	620
KX5685212	1550-1600	800	670

- **Frame finish**
Chrome, painting white, Satin or Drawbarch
- **Glass**
8mm, 10mm safety glass are available
- **Features**
Metal handles
Quiet closing
The door with magnetic seals
Quick release, easy clean floor system
Wall profile with 23mm adjustment
Flush available for tray
Extrusion in reverse side
Universal side panel with/without shelves are available





MODEL	L	W	OPENING SIZE
KX5685422	1354-1400	800	540
KX5685422	1454-1500	800	590
KX5685422	1554-1600	800	640
KX5685422	1654-1700	800	690

- **Frame Finish**
Chrome plating, white, Satin or Drawlatch
- **Glass**
6mm, 8mm safety glass are available
- **Features**
Metal handle
Quiet closing
The door with magnetic seal
Quick release, easy clean door system
Wall profile with 23mm adjustment
Pinch available for tray
Enclosure is reversible
Universal side panel with/without shelves are available

MODEL	L	W	OPENING SIZE
KX5685422	727-750	727-750	375
KX5685422	767-790	767-790	425
KX5685422	867-890	867-890	475
KX5685422	767-790	1167-1190	525

- **Frame Finish**
Chrome, White, Satin or Drawlatch
- **Glass**
6mm safety glass are available
Easy clean glass is available
- **Features**
Wall profile with 25mm adjustment
Chrome metal handles
Metal bottom seal
The door is universal

85 SELINA SERIES

Sliding Door Series Corner Entry Double-Opening Doors



KX5686110



KX5585210

- **Frame finish**
Chrome, polished white, Satin, Dabawendi
- **Glass**
8mm, 10mm safety glass are available
- **Features**
Wall profile with 23mm adjustment
Large entrance size
Magnetic strips with consistent alignment and perfect closing performance minimize leakage
The unique fitting matches up with the U shape groove on top of the glass perfectly, which makes sure that the glass will not fall off.
The door with raising and lowering function, which ensure the door open and closed more smoothly.
Quiet closing
Universal side panels are available

MODEL	L	W	OPENING SIZE
KX5585210	714-760	800	600
KX5585210	754-800	800	640
KX5585210	854-900	800	740
KX5585210	954-1000	800	840




KX5685110-1

85 SELINA SERIES
Outward Series Simple Pivot doors



- Frame finish:
Chrome, painting white, Satin or Döubenell
- Glass:
6mm safety glass are available
- Features:
• Wall profile with 23mm adjustment
• Large entrance side
• Magnetic strips with standard
alignment and perfect closing performance, minimum leakage
• The unique fitting matches up with the U shape groove on
top of the glass perfectly, which makes sure that the glass will
not lift off
• Quick closing
• Universal side panels are available

MODEL	L	W	OPENING SIZE
KX5685110-1	714-760	800	600
KX5685110-1	754-800	800	640
KX5685110-1	854-900	800	740
KX5685110-1	954-1000	800	840



Get rid of the numerous and complicated ornaments, ease nothing about.
Superficiality, but apt to purify it and make an
apart of it, which we may say it the true meaning of being choice.

85 SEUNA SERIES Outward Series Pivot Doors



MODEL	L	W	OPENING SIZE
KX5685210-1	700-800	800	480
KX5685210-1	780-900	900	500
KX5685210-1	880-1000	1000	550
KX5685210-1	1060-1200	900	600



- **Frame Finish**
Chrome, painting white, Satin or Drawlatch
- **Glass**
5mm, 8mm safety glass are available
- **Features**
Max. shower wall adjustment: 10mm, the adjustment for the whole set is 100mm at least and up to 140mm
Large open door arc
L25mg pivot set to connect the moving glass and the rails makes the door more stable while opening and closing
The pivot set absorbs the raw sounds of friction
Smooth and silent closing
90 degree closing system of the pivot set guarantees the safety of the door
Highly consideration of the magnetic strip and its profile contribute to the perfect water-proofing performance of the door
Compatible side panels are optional

MODEL	L	W	OPENING SIZE
KX5585310-1	700-800	800	480
KX5585310-1	760-900	900	500
KX5585310-1	860-1000	1000	550
KX5585310-1	1060-1200	900	600



- **Frame Finish**
Chrome, painting white, Satin or Drawlatch
- **Glass**
5mm, 8mm safety glass are available
- **Features**
Wall profile with 25mm adjustment
Large open door arc
L25mg pivot set to connect the moving glass and the rails makes the door more stable while opening and closing
The pivot set absorbs the raw sounds of friction
Smooth and silent closing
90 degree closing system of the pivot set guarantees the safety of the door
Highly consideration of the magnetic strip and its profile contribute to the perfect water-proofing performance of the door
Compatible side panels are optional

MODEL	L	W	OPENING SIZE
KX5585210-1	754-800	800	520
KX5585210-1	854-900	900	620
KX5585210-1	954-1000	1000	720

85 SELINA SERIES
Outward Series Pivot Doors





- **Frameless**
Chrome, painting white, Satin or Drawdown
- **Colors**
Emm, Imm safety glass are available
- **Features**
Wall profile with 20mm adjustment
Brush design with large enhance
Smooth sliding glass and aluminum frame contribute a robust structure
The double roller design makes the product more stable and smooth
Reverse installation, the door can be opened for left or right at will with left roller
Handle with handle and telescopic shaft
Compatible top panels are optional

MODEL	L	W	OPENING SIZE
KX5585320	720-760	760	540
KX5585320	760-800	800	580
KX5585320	860-900	900	680
KX5585320	960-1000	1000	780



KX5694310



94 TERRENCE SERIES Outward Series-Pivot Doors



- **Frame/Finity**
Chrome/Satin Nickel/Brush
- **Glass**
10mm safety glass (5mm extra glass available)
- **Features**
Stainless steel hinge, handle, support bar.
Brushed and beveled support bar (available optional)

MODEL	L	W	OPENING SIZE
KX5594310	960-1000	800	480
KX5594310	1060-1100	800	500
KX5594310	1160-1200	800	550
KX5594310	1260-1400	800	550



- **Frame Finish**
Chrome Satin or Nickel Brush
- **Glass**
6mm safety glass
Easy clean glass available
- **Features**
Stainless steel hinge, handle, support bar
Rounded and square support bar, handle are optional

MODEL	L	W	OPENING SIZE
KXS194310	800-900	900-900	480
KXS194310	900-1000	900-1000	550
KXS194310	1000-1100	1000-1100	550
KXS194310	1100-1200	1100-1200	550
KXS194310	1300-1400	1300-1400	550





94 TERRENCE SERIES
Hinged Door Series - Frameless Single Hinge Door



- **Frame Finish:**
Chrome, White, Satin or Darkbrush.
- **Glass:**
Bronze safety glass is available.
Easy clean glass is available.
- **Features:**
Wall profile with 20mm adjustment.
Thoughtful design for maximizing the door opening area.
Our latest hinges are made of high density (niti).
Solid double hinge provides optimum security and stability.
Concealed fitting contributes to a successful combination of function and appearance.
Magnetic strips with tamperless alignment and perfect closing performance.
Full in-swing package.
Convertible side panels and extended panels are optional.
High quality metal (stainless steel) and structural metal (aluminum) and stainless steel.
Easy clean coating glass for quick cleaning.
Fully reversible for right or left entry.


MODEL	L	W	OPENING SIZE
KX5694110	720-750	750	520
KX5694110	760-790	800	660
KX5694110	860-890	900	760
KX5694110	860-890	1000	860



- **Frame Finish**
Chrome White Satin or Dripbeicht
- **Glass**
Anti safety glass is available
Easy clean glass is available
- **Features**
Wall profile with 20mm adjustment
Thoughtful design for maximizing the door opening area
Our select hinges are made of high density metal
90° double hinge provides optimum security and stability
Concealed fitting contributes to a beautiful combination of function and appearance
Magnetic stop with consistent alignment and perfect closing (two-handed)
That minimizes leakage
Concealed low area handle and extended panels are optional
High quality metal material and structure make it ornate and antirust
Stylish metal handle
Easy clean coating glass for quick cleaning
Fully reversible for right or left entry



MODEL	L	W	OPENING SIZE
KX5594210	720-760	760	620
KX5594210	760-800	800	660
KX5584210	860-900	900	760
KX5584210	960-1000	1000	860



• **Frame finish**
Chrome, White, Satin or Drabmetal

• **Glass**
5mm safety glass is available
Easy clean glass is available

• **Features**
Wall profile with 20mm adjustment
Our latest pivot point system adds to the smoothness of the opening door with added safety and stability
Our latest hinges are made of high density metal
Corkbase fitting contributes to a successful combination of function and appearance
Magnetic strips with constant magnetism and perfect closing performance that minimises leakage
Softstart and silent closing
Concealed side panels and extended panels are optional
Double action push design allows door to open either outwards or inwards, makes it practical and functional
Easy view coating glass for quick cleaning
High quality metal material and structure make it anti-rust and anti-corrosive
Fully reversible for right or left entry

84 TERRENCE SERIES
Pivot Door Series Single Pivot Door



MODEL	L	W	OPENING SIZE
KX5694110-1	720-760	800	610
KX5694110-1	760-800	800	650
KX5694110-1	860-900	800	750
KX5694110-1	960-1000	800	850



KX5694210



94 TERRENCE SERIES
Side panel

- **Frame Finish**
Chrome, White, Satin or Dark Bronze

- **Glass**
5mm safety glass is available.
Easy clean glass is available

- **Features**
Wat profile with 20mm adjustment
Easy clean coating glass for quick cleaning
It is compatible with our hinge doors, pivot doors and sliding doors. It has a wide range of adaptability and is economical and flexible.
Compatible for the entire 20 range doors, long shower for left and right hand.

MODEL	L	W	OPENING SIZE
KXSP94-1	720-760	760	620
KXSP94-1	760-800	800	660
KXSP94-1	860-900	900	780
KXSP94-1	960-1000	1000	860



MODEL	L"	W	OPENING SIZE
KX3594310-T	860/900	800	530
KX3594310-T	960/1000	800	580
KX3594310-T	1160/1200	800	680
KX3594310-T	1360/1400	800	780

94 TERRENCE SERIES Outward Series Single Hinge Doors



- **Frameless Design**
Chrome-Plated Safety on Dray Panels
- **Glass**
Tempered glass is available
Easy clean glass is available
- **Features**
Self-closing with 20mm adjustment
Our latest joint joint system adds to the smoothness of the
opening door with silent safety and stability
Our latest hinges are made of high density metal
Carved into the hinge mechanism for a successful
combination
of function and appearance
Magnetic strip with concealed alignment and perfect
closing performance that minimizes leakage
Compatible side panels and extended panels are
optional
Double action joint design allows door to open either
inwards or outwards, makes it practical and functional
Easy clean coating glass for quick cleaning
High quality metal material and structure make it
sturdy and durable
Fully reversible for right or left entry



Like every step in elegant blossom, the gaps among the times are capable to find the individual pursuits. Time flows away silently and in face of it, there is no need to grow any answers but to blossom elegantly, to let the charming green of youth filled in every corner of the room. Only the blossom of love is the need. Turning consciousness and feelings into new, have fascinating emotion, an elegant world unfolds before your eyes at the moment you enter the door.

76 LILY SERIES
Outward Series Single Hinge Doors



KX5676310



KX5676210



- **Frame Finish:**
Chrome, White Satin or Brushed Nickel
- **Glass:**
8mm, 10mm safety glass is available
Heavy strength glass is available
- **Features:**
Wall profile with 15mm adjustment
Thoughtful design for maximizing the door opening area
The hinge is made of high density metal and with a locking system of the latest design
Concealed design and highly convenience of the magnetic strip and its profile contribute to the perfect waterproofing performance of the door
Metal handle combines classic and fashion
Smooth and silent closing
Reversible installation

MODEL	L	W	OPENING SIZE
KX5576310	860-900	800	520
KX5576310	960-1000	800	570
KX5576310	1060-1100	800	570
KX5576310	1160-1200	800	570
KX5576310	1360-1400	800	570



- Frame (Optional)
Chrome, Plating white, Satin or Drawbar
- Glass
8mm, 10mm safety glass are available
- Features
Contoured Design
Metal handles
Soft close door with magnetic seal
Quick release wing clamp system
Wall profile with 10mm adjustment
(Partly available for 10kg)

MODEL	L	W	OPENING SIZE
KX5218422	772-790	772-790	470
KX5218422	872-890	872-890	540
KX5218422	972-990	972-990	540





- **Frame Finish**
Chrome, Polished white, Satin or Darkenish
- **Glass**
6mm, 8mm safety glass are available
- **Wall Panel**
Concealed design
Metal handles
Quick closing
The door with magnetic seals
Quick release, easy clean door system
Wall profile with 10mm adjustment
Pinch available for key
Enclosure is reversible
Universal side panel with/without shelves are available



KX5518312-1



MODEL	L	W	OPENING SIZE
KX5518312	964-1000	800	400
KX5518312	1064-1100	800	450
KX5518312	1164-1200	800	490
KX5518312	1364-1400	800	570



- **Frame finish**
Chrome, Pinnaflex white, Satin or Brushednick
- **Glass**
8mm, 10mm safety glass (10mm available)
- **Features**
Corrosion resistant design
Metal handles
Quiet closing
The door with magnetic seals
Quick release, easy clean door system
Anti-profile with 18mm adjustment
Pinch available for leg
Enclosure is reversible
Lift-assist side panel with/without shelves are available

MODEL	L	W	OPENING SIZE
KX5618422	1564-1800	800	640
KX5618422	1664-1700	800	680



- **Frame finish**
Chrome, Pinnaflex white, Satin or Brushednick
- **Glass**
8mm, 10mm safety glass (10mm available)
- **Features**
Corrosion resistant design
Metal handles
Quiet closing
The door with magnetic seals
Quick release, easy clean door system
Anti-profile with 18mm adjustment
Pinch available for leg
Enclosure is reversible
Lift-assist side panel with/without shelves are available

MODEL	L	W	OPENING SIZE
KX5618110	724-760	760	620
KX5618110	764-800	800	670
KX5618110	864-900	900	770
KX5618110	964-1000	1000	870



- **Frame finish:**
Chrome, fluting white, Satin or Diamond
- **Glass:**
Fixed glass. Can choose 5mm, 8mm, 10mm safety glass.
- **Hardware:**
Concealed design
Metal handles
Quiet closing
The door with magnetic seals
Quick release, easy clean door system
Wall profile with 18mm adjustment
Pintle available for tray
Enclosure is reversible
Universal side panel with/without shelves are available

MODEL	L	W	OPENING SIZE
KX5518210	724-760	760	630
KX5518210	764-800	800	670
KX5518210	804-900	900	770
KX5518210	904-1000	1000	870



KX5518110-1



- **Finish**
Chrome, Satin or Brushed
- **Glass**
Float glass. Can choose from 8mm safety, 10mm or 12mm glass.
- **Features**
Contoured design
Metal handles
Quick closing
The door with magnetic seals
Quick release, easy clean door system
Wall profile with 18mm adjustment
PUSH available for free
Enclosure is reversible
Universal stop panel with/without shelves are available

MODEL	L	W	OPENING SIZE
KX5518210-1	724-760	760	520
KX5518210-1	764-800	800	560
KX5518210-1	884-900	900	660
KX5518210-1	964-1000	1000	760



- **Frame finish**
Chrome, Silver or Satin
- **Glass**
5mm, 6mm safety glass are available
- **Features**
Pivot with lifting and lowering function and the degree of the rising door can be adjusted at random
Wall profile with 25mm adjustment
Chrome metal handles
Metal handle
Universal design

MODEL	H	L	OPENING SIZE
KX5697110-1	1400	995-1000	630

- **Frame finish**
Chrome, Silver or Satin
- **Glass**
5mm, 6mm safety glass are available
- **Features**
Pivot with lifting and lowering function and the degree of the rising door can be adjusted at random
Wall profile with 25mm adjustment
Chrome metal handles
Metal handle
Universal design

MODEL	H	L	OPENING SIZE
KX5697110-2	1400	995-1000	630



MODEL	H	L	OPENING SIZE
KX5697210-1	1400	995-1000	630

- **Frame finish:**
Chrome silver or satin
- **Glass:**
5mm safety glass is available
- **Features:**
Panel with lifting and lowering function also, the degree of the moving door can be adjusted randomly.
Wall profile with 25mm adjustment.
Chrome metal handles.
Metal handle.
Universal design.

MODEL	H	L	OPENING SIZE
KX5697210-2	1400	995-1000	630

- **Frame finish:**
Chrome silver or satin
- **Glass:**
5mm safety glass is available
- **Features:**
Panel with lifting and lowering function also, the degree of the moving door can be adjusted randomly.
Wall profile with 25mm adjustment.
Chrome metal handles.
Metal handle.
Universal design.



The unrelenting pursuit for dream and glory consecrates
freedom and upward fashion, leaving no to mediocre is a depth of thought
and more the declaration to life.





● **Frame finish:**
Chrome White, Satin or Brushed Nickel

● **Glass:**
8mm, 10mm safety glass are available
Easy clean glass is available

● **Features:**
Rotatable and adjustable support bar can be adjusted from 100mm to 1200mm. The support bar is made of high quality metal, anti-rust and anti-corrosion.
Frameless flexible support bar design.
All screws with concealed design.
Offering big shower area and the simplest shower experience.
Simplest shower experience.

MODEL	L	W	OPENING SIZE
KX5699110-2	1850	900	700-1200
KX5699110-2	1850	1000	700-1200
KX5699110-2	1850	1100	700-1200
KX5699110-2	1850	1200	700-1200



A



B



C



D



E



F



G




H



I



- **Frame finish:**
Chrome, White, Satin or Diamond
- **Glass:**
8mm, 10mm safety glass is available
Easy clean glass is available
- **Features:**
Wall profile with 20mm adjustment
Easy clean testing glass for quick cleaning
It is compatible with our hinge doors, pivot doors and sliding doors. It has a wide range of adjustability, and is economical and flexible
Universal fit the whole 25 range doors and universal for left and right handed



MODEL	H	L
KX559911B	1850	560-800
KX559911B	1850	780-800
KX559911B	1850	880-900
KX559911B	1850	880-1000
KX559911B	1850	1080-1100
KX559911B	1850	1180-1200

MODEL	H	L
KX559921D	1850	900
KX559921D	1850	1000
KX559921D	1850	1100
KX559921D	1850	1200

MODEL	H	L
KX559931D	1850	300
KX559931D	1850	400
KX559931D	1850	700
KX559931D	1850	800
KX559931D	1850	900
KX559931D	1850	1000



KX5699200



- **Frame Profile**
Chrome, White, Satin or Darkbrush
- **Glass**
8mm, 10mm safety glass are available.
Every glass is available.
- **Features**
Wall profile with 10mm adjustment.
Fixed glass door can swing back attached to the fixed glass.
Rhetal torque.
Easy installed profile design.
The enclosure is universal.



- **Frame finish:**
Chrome/Satin nickel/Brush.
- **Glass:**
8mm, 10mm safety glass, away from glass available.
- **Accessories:**
Stainless steel hinge, handle, support bar.
Round and square support bar (handle is optional).

MODEL	L	W	OPENING SIZE
KX567821 D	800-900	800	520
KX567821 D	900-1000	800	570
KX567821 D	1000-1100	800	570
KX567821 D	1100-1200	800	670
KX567821 D	1300-1400	800	670



- Frame Finish
Chrome, Satin Nickel, Brush
- Glass
3mm, 10mm safety glass.
Easy clean glass available
- Hardware
Stainless steel hinge, handle, support bar.
Round and square support bar handle are optional

MODEL	L	W	OPENING SIZE
KX5578310	860-900	800	520
KX5578310	960-1000	800	570
KX5578310	1060-1100	800	570
KX5578310	1160-1200	800	670
KX5578310	1260-1400	800	670



- **Finish**
Chrome/Brush
Chrome/Satin/Black Brush
- **Glass**
5mm, 10mm safety glass,
Easy clean glass available
- **Hardware**
Stainless steel hinge, handle, support bar
(Round and square support bar,
handle are optional)

MODEL	L	W	OPENING SIZE
KX5278422	800	800	430
KX5278422	900	900	480
KX5278422	1000	1000	510
KX5278422	1100	1100	530
KX5278422	1200	1200	570

ZOHEY

Simple without monotony, in each perfect detailed, express a kind unique elegance and easiness, shone under the light, the space is full of graceful daydream.

SERIES



KX5173310



- **Frame Finishes**
Chrome, Satin, Matte, Brush
- **Glass**
8mm safety glass, 5mm clear glass available
- **Features**
Stainless steel hinge, handle, support bar
Round and square support bar, frame are optional

MODEL	L	W	OPENING SIZE
KX5173310	860-900	860-900	480
KX5173310	960-1000	960-1000	550
KX5173310	1060-1100	1060-1100	550
KX5173310	1160-1200	1160-1200	550
KX5173310	1360-1400	1360-1400	550

OUTWARD SERIES HINGE DOORS



- **Finish:** Polished Chrome, Satin Nickel, Brushed
- **Glass:** 8mm safety glass. Easy clean glass available
- **Features:** Stainless steel hinges, handle, support bar. Round and square support bar, handle are optional

MODEL	L	W	OPENING SIZE
KX5673310	850-900	800	480
KX5673310	950-1000	800	550
KX5673310	1050-1100	800	550
KX5673310	1150-1200	800	550
KX5673310	1350-1400	800	550



Subtle pattern, unique design,natural bearing wisdom of human being.
Harmonious and natural,fashionable sign is not proud.



- **Finishing Style:**
Chrome,Satin nickel,Bronze
- **Glass:**
5mm safety glass;
Easy clean glass available
- **Features:**
Stainless steel hinge, handle,support bar. Houns and
exterior support bar, handle are optional

MODEL	L	W	OPENING SIZE
KO5673210	800-900	800	500
KO5673210	900-1000	800	570
KO5673210	1000-1100	800	570
KO5673210	1100-1200	800	670
KO5673210	1300-1400	800	670



- **Frame finish**
Chrome/Satin/Brush
- **Glass**
8mm safety glass, aluminum wall profile with 25mm adjustment / easy clean glass available
- **Features**
Big aluminum frame aluminum thickness 1.6mm / Stainless steel handle and rollers

MODEL	L	W	OPENING SIZE
KX5684222	972-990	772-790	300
KX5684222	1172-1190	772-790	490
KX5684222	1172-1190	872-890	490
KX5684222	1372-1390	772-790	590
KX5684222	1372-1390	872-890	590



- **Finish/Brush**
Chrome/Satin Brush
- **Glass**
6mm/10mm safety glass, 304 stainless steel profile with 25mm adjustment, easy clean glass available
- **Features**
Stainless steel handle and rollers

MODEL	L	W	OPENING SIZE
KX5686322	770-790	770-790	390
KX5686322	870-890	770-790	390
KX5686322	972-990	772-790	390
KX5686322	1172-1190	772-790	490
KX5686322	1172-1190	872-890	490
KX5686322	1372-1390	772-790	590
KX5686322	1372-1390	872-890	590



- **Finish/Brush**
Chrome/Satin Brush
- **Glass**
6mm/10mm safety glass, 304 stainless steel profile with 25mm adjustment, easy clean glass available
- **Features**
Stainless steel handle and rollers

MODEL	L	W	OPENING SIZE
KX5586422	770-790	770-790	390
KX5586422	870-890	770-790	390
KX5586422	972-990	772-790	390
KX5586422	1172-1190	772-790	490
KX5586422	1172-1190	872-890	490
KX5586422	1372-1390	772-790	590
KX5586422	1372-1390	872-890	590



- **Finish finish**
Chrome, Satin, Brush
- **Glass**
8mm safety glass 304 stainless steel profile with 15mm adjustment - easy clean glass available
- **Footcure**
Stainless steel handle and rollers

MODEL	L	W	OPENING SIZE
KX5639212	972-990	772-790	390
KX5639212	1172-1190	772-790	490
KX5639212	1172-1190	872-890	490
KX5639212	1372-1390	772-790	590
KX5639212	1372-1390	872-890	590



Concrete strokes have brought the space with fashionable texture.



Modernity is not the cold,
elegance is not the artificial,
beauty is not the id-picking.
To explore the warmth hidden in the elegant style,
to use free beauty to like the fierceness of
modern people, to use light design to satisfy the
demand for modern life, people
to use the correct attitude to keep the perfect
integration of trend with personality.

- **Frame Finish**
Chrome, Satin, Brush
- **Glass**
6mm safety glass, 30daymax warranty with 25mm adjustment, easy clean glass available
- **Features**
Stainless steel handle and rollers



MODEL	L	W	H
KX5568222	972-990	772-790	390
KX5568222	1172-1190	772-790	490
KX5568222	1172-1190	872-890	490
KX5568222	1372-1390	772-790	590
KX5568222	1372-1390	872-890	590

- **Frame finish**
Chrome, Satin, Brush
- **Glass**
Bore safety glass, 304 stainless steel profile with 25mm adjustment | easy clean glass available
- **Hardware**
Stainless steel handle and rollers

MODEL	L	W	H
KX5568322	960-1000	800	800
KX5568322	960-1000	800	800
KX5568322	960-1000	800	800
KX5568322	960-1000	800	800
KX3568322	960-1000	800	800





- **Frame finish**
Chrome, Satin nickel, Brushed, Mat black
- **Glass**
3mm safety glass, easy clean glass available
- **Features**
Aluminium wall profile with 15mm adjustment, 304 SS support bar

	MODEL	L	W	OPENING SIZE
20	KX-B4076	760	760	760
50	KX-B4076	860	800	760
80	KX-B4076	960	900	800
50	KX-B4076	1160	900	900



- **Frame finish**
Chrome, Satin nickel, Brush, Mat black
- **Glass**
8mm safety glass, semi clear glass available
- **Features**
Aluminium wall profile with 15mm adjustment, 304 SS support bar

MODEL	L	W	OPENING SIZE
KX-B2086	760	760	460
KX-B2086	860	800	460
KX-B2086	960	900	500
KX-B2086	1160	900	600



- **Frame finish**
Chrome, Satin nickel, Brush, Mat black
- **Glass**
8mm safety glass, semi clear glass available
- **Features**
Aluminium wall profile with 15mm adjustment, 304 SS support bar, mirror, return panel for optional

MODEL	L	W	OPENING SIZE
KX-B5086	760	760	460
KX-B5086	860	800	460
KX-B5086	960	900	500
KX-B5086	1160	900	600



- **Frame finish:**
Chrome, Sat. in nickel, Brush Mat. black
- **Glass:**
8mm safety glass-way clear glass available
- **Hardware:**
Aluminum wall profile with 15mm adjustment, 304 SS support bar (swing return bar is optional)

MODEL	L	W	OPENING SIZE
KX-B3086	760	760	460
KX-B3086	860	800	460
KX-B3086	960	900	500
KX-B3086	1160	900	600



MODEL	L	W	H
KX208	900	900	50



MODEL	L	W	H
KX209	900	900	50



MODEL	L	W	H
KX210	1200	900	50
KX210	1400	900	50



MODEL	L	W	H
KX8031	1200	900	50
KX8031	1400	900	50



MODEL	L	W	H
KX-4001	800	800	130
KX-4001	900	900	130
KX-4001	1000	1000	130



MODEL	L	W	H
KX-4005	800	1000	130
KX-4005	800	1200	130
KX-4005	900	1200	130



MODEL	L	W	H
KX-1009	800	800	130
KX-1009	900	900	130
KX-1009	1000	1000	130



MODEL	L	W	H
KX-1010	800	1000	130
KX-1010	800	1200	130
KX-1010	900	1000	130



MODEL	L	W	H
KX-3001	800	800	130
KX-3001	900	900	130
KX-3001	1000	1000	130



MODEL	L	W	H
KX-2001	800	800	130
KX-2001	900	900	130
KX-2001	1000	1000	130



MODEL	L	W	H
KX-1011	900	1200	130
KX-1011	1000	1200	130
KX-1011	800	1440	130